

ICD-10-CM back cover_aapc.indd 1 14/07/15 5:53 pm

Abscess — continued

Abrasion - Abscess

Abussian continued
Abrasion — continued
malar region S00.81 ☑
mammary — see Abrasion, breast
mastoid region S00.81 $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
nail
finger — see Abrasion, finger
toe — see Abrasion, toe
nape \$10.81 ☑
nasal S00.31 ☑
neck S10.91 ☑
specified site NEC S10.81 ☑
throat \$10.11 ☑
nose S00.31 🗹
occipital region S00.01 ☑ oral cavity S00.512 ☑
orbital region — see Abrasion, eyelid
palate S00.512 ☑
palm — see Abrasion, hand
parietal region S00.01 ☑
pelvis S30.810 ☑
penis S30.812 ☑
perineum
female S30.814 ☑
male \$30.810 ☑
periocular area — <i>see</i> Abrasion, eyelid
phalanges
finger — <i>see</i> Abrasion, finger toe — <i>see</i> Abrasion, toe
pharynx S10.11 ☑
pinna — see Abrasion, ear
popliteal space — see Abrasion, knee
prepuce S30.812 ☑
pubic region S30.810 ☑
pudendum
female S30.816 ☑
male S30.815 ☑
sacral region S30.810 ☑
scalp S00.01 ☑
scapular region — see Abrasion, shoulder
scrotum S30.813 ☑
shin — <i>see</i> Abrasion, leg shoulder S40.21- ☑
skin NEC T14.8
sternal region S20.319 ☑
submaxillary region S00.81 ☑
submental region S00.81 ☑
subungual
finger (s) — see Abrasion, finger
toe (s) — see Abrasion, toe
supraclavicular fossa S10.81 ☑
supraorbital S00.81 ☑
temple S00.81 🗹
temporal region S00.81 \square testis S30.813 \square
thigh S70.31- ☑
thorax, thoracic (wall) S20.91 ☑
back S20.41- ☑
front S20.31- ☑
throat S10.11 ☑
thumb S60.31- ☑
toe (s) (lesser) \$90.416 ☑
great S90.41- ☑
tongue S00.512 ☑
tooth, teeth (dentifrice) (habitual) (hard tissues)
(occupational) (ritual) (traditional) K03.1
trachea S10.11 🗹
tunica vaginalis S30.813 🗹
tympanum, tympanic membrane — see Abrasion, ear
uvula S00.512 ☑
vagina S30.814 ☑
vocal cords S10.11 ☑
vulva S30.814 ☑
wrist S60.81- ☑
Abrism — see Poisoning, food, noxious, plant
Abruptio placentae O45.9- ☑
with
afibrinogenemia O45.01- ☑
coagulation defect O45.00- ☑
specified NEC O45.09- ☑ disseminated intravascular coagulation O45.02- ☑
hypofibrinogenemia O45.01- 🗹
specified NEC O45.8- ☑
Abruption, placenta — see Abruptio placentae
Abscess (connective tissue) (embolic) (fistulous)
(infective) (metastatic) (multiple) (pernicious)
(pyogenic) (septic) L02.91
with
diverticular disease (intestine) K57.80
with bleeding K57 81

```
Abscess — continued
             with
               bleeding K57.21
small intestine K57.40
          with bleeding K57.41
small intestine K57.00
             with
               bleeding K57.01
               large intestine K57.40
                  with bleeding K57.41
    lymphangitis - code by site under Abscess abdomen, abdominal
       cavity K65.1
       wall £02.211
    abdominopelvic K65.1
accessory sinus — see Sinusitis
adrenal (capsule) (gland) E27.8
     alveolar K04.7
       with sinus K04.6
    amebic A06.4
brain (and liver or lung abscess) A06.6
genitourinary tract A06.82
       liver (without mention of brain or lung abscess) A06.4
       lung (and liver) (without mention of brain
       abscess) A06.5
specified site NEC A06.89
       spleen A06.89
    anerobic A48.0 ankle — see Abscess, lower limb
    anorectal K61.2
    antecubital space — see Abscess, upper limb antrum (chronic) (Highmore) — see Sinusitis,
                                - see Abscess, upper limb
         maxillary
    anus K61.0 apical (tooth) K04.7
       with sinus (alveolar) K04.6
    appendix K35.3 areola (acute) (chronic) (nonpuerperal) N61
       puerperal, postpartum or gestational — see
    Infection, nipple
arm (any part) — see Abscess, upper limb
     artery (wall) 177.89
    atheromatous 177.2
    auricle, ear — see Abscess, ear, external
    axilla (region) L02.41- ☑ lymph gland or node L04.2 back (any part, except buttock) L02.212
    Bartholin's gland N75.1
       with
          abortion — see Abortion, by type
    complicated by, sepsis
ectopic or molar pregnancy O08.0
following ectopic or molar pregnancy O08.0
Bezold's — see Mastoiditis, acute
bilharziasis B65.1
    bladder (wall) — see Cystitis, specified type NEC
    specified type NEC)
accessory sinus (chronic) — see Sinusitis
       chronic or old — see Osteomyelitis, chronic
jaw (lower) (upper) M27.2
mastoid — see Mastoiditis, acute, subperiosteal
       petrous — see Petrositis
spinal (tuberculous) A18.01
          nontuberculous — see Osteomyelitis,
    vertebra
bowel K63.0
     brain (any part) (cystic) (otogenic) G06.0
       amebic (with abscess of any other site) A06.6 gonococcal A54.82
       pheomycotic (chromomycotic) B43.1
    tuberculous A17.81
breast (acute) (chronic) (nonpuerperal) N61
       newborn P39.0
       puerperal, postpartum, gestational — see
Mastitis, obstetric, purulent
     broad ligament N73.2
       acute N73.0
chronic N73.1
     Brodie's (localized) (chronic) M86.8X- ☑
    bronchi J98.09
    buccal cavity K12.2
     bulbourethral gland N34.0
    bursa M71.00
       ankle M71.07- ☑
       elbow M71.02- ☑
foot M71.07- ☑
       hand M71.04- ☑
       hip M71.05- ☑
       knee M71.06- ✓
       multiple sites M71.09
```

```
pharyngeal J39.1
shoulder M71.01- ☑
    specified site NEC M71.08
    .
wrist M71.03- ☑
 buttock L02.31
canthus — see Blepharoconjunctivitis
cartilage — see Disorder, cartilage, specified type
      NEC
 cecum K35.3
 cerebellum, cerebellar G06.0
sequelae G09
 cerebral (embolic) G06.0
 sequelae G09
cervical (meaning neck) L02.11
lymph gland or node L04.0
cervix (stump) (uteri) — see Cervicitis cheek (external) L02.01
    inner K12.2
chest J86.9
with fistula J86.0
    wall L02.213
 chin L02.01
 choroid — see Inflammation, chorioretinal
 circumtonsillar J36
circumtonsillar J36
cold (lung) (tuberculous) (see also Tuberculosis,
abscess, lung)
articular — see Tuberculosis, joint
colon (wall) K63.0
colostomy K94.02
conjunctiva — see Conjunctivitis, acute
cornea H16.31- ☑
 corpus
    cavernosum N48.21
 luteum — see Oophoritis
Cowper's gland N34.0
 cranium G06.0
cul-de-sac (Douglas') (posterior) — see Peritonitis, pelvic, female
 cutaneous — see Abscess, by site dental K04.7
    with sinus (alveolar) K04.6
dentoalveolar K04.7
with sinus K04.6
 diaphragm, diaphragmatic K65.1
Douglas' cul-de-sac or pouch — see Peritonitis,
pelvic, female
Dubois A50.59
 ear (middle) (see also Otitis, media, suppurative)
   acute — see Otitis, media, suppurative, acute external H60.0- \square
entamebic — see Abscess, amebic enterostomy K94.12
 epididymis N45.4
 epidural G06.2
brain G06.0
    spinal cord G06.1
 epiglottis J38.7
epiploon, epiploic K65.1 erysipelatous — see Erysipelatous esophagus K20.8 ethmoid (beauth)
ethmoid (bone) (chronic) (sinus) J32.2
external auditory canal — see Abscess, ear,
external
extradural G06.2
    brain G06.0
    sequelae G09
spinal cord G06.1
 extraperitoneal K68.19
 eye — see Endophthalmitis, purulent eyelid H00.03- ☑
 face (any part, except ear, eye and nose) L02.01
fallopian tube — see Salpingitis fascia M72.8
 fauces J39.1
 fecal K63.0
 femoral (region) — see Abscess, lower limb
 filaria, filarial — see Infestation, filarial
finger (any) (see also Abscess, hand)
nail — see Cellulitis, finger
foot L02.61- ☑
forehead L02.01
frontal sinus (chronic) J32.1
 gallbladder K81.0
 genital organ or tract
female (external) N76.4
    male N49.9
      multiple sites N49.8
specified NEC N49.8
 gestational mammary O91.11- ☑
 gestational subareolar O91.11- ☑
 gingival K05.21
```

large intestine K57.20

Body — continued	Bowing	Breakdown — continued
32.0-32.9 Z68.32	femur (see also Deformity, limb, specified type	ocular NEC — see Complications, prosthetic
33.0-33.9 Z68.33	NEC, thigh)	device, mechanical, ocular device
34.0-34.9 Z68.34	congenital Q68.3	orthopedic NEC — see Complication,
35.0-35.9 Z68.35 36.0-36.9 Z68.36	fibula (see also Deformity, limb, specified type NEC, lower leg)	orthopedic, device, mechanical specified NEC T85.618 ☑
37.0-37.9 Z68.37	congenital Q68.4	sutures, permanent T85.612 ☑
38.0-38.9 Z68.38	forearm — see Deformity, limb, specified type	used in bone repair — see Complications,
39.0-39.9 Z68.39	NEC, forearm	fixation device, internal (orthopedic),
40.0-44.9 Z68.41 45.0-49.9 Z68.42	leg (s), long bones, congenital Q68.5 radius — <i>see</i> Deformity, limb, specified type NEC,	mechanical urinary NEC (<i>see also</i> Complication,
50.0-59.9 Z68.43	forearm	genitourinary, device, urinary, mechanical)
60.0-69.9 Z68.44	tibia (see also Deformity, limb, specified type NEC,	graft T83.21 ☑
70 and over Z68.45	lower leg)	vascular NEC — see Complication,
pediatric 5th percentile to less than 85th percentile for	congenital Q68.4 Bowleg (s) (acquired) M21.16- ☑	cardiovascular device, mechanical ventricular intracranial shunt T85.01 ☑
age Z68.52	congenital Q68.5	nervous F48.8
85th percentile to less than 95th percentile	rachitic E64.3	perineum O90.1
for age Z68.53	Boyd's dysentery A03.2 Brachial — see condition	respirator J95.850
greater than or equal to ninety-fifth percentile for age Z68.54	Brachycardia R00.1	specified NEC J95.859 ventilator J95.850
less than fifth percentile for age Z68.51	Brachycephaly Q75.0	specified NEC J95.859
Mooser's A75.2	Bradley's disease A08.19	Breast (see also condition)
rice (see also Loose, body, joint)	Bradyarrhythmia, cardiac 149.8 Bradycardia (sinoatrial) (sinus) (vagal) R00.1	buds E30.1
knee M23.4- ☑ rocking F98.4	neonatal P29.12	in newborn P96.89 dense R92.2
Boeck's	reflex G90.09	nodule N63
disease or sarcoid — see Sarcoidosis	tachycardia syndrome I49.5	Breath
lupoid (miliary) D86.3	Bradykinesia R25.8 Bradypnea R06.89	foul R19.6
Boerhaave's syndrome (spontaneous esophageal rupture) K22.3	Bradytachycardia 149.5	holder, child R06.89 holding spell R06.89
Boggy	Brailsford's disease or osteochondrosis — see	shortness R06.02
cervix N88.8	Osteochondrosis, juvenile, radius	Breathing
uterus N85.8	Brain (see also condition)	labored — see Hyperventilation
Boil (see also Furuncle, by site) Aleppo B55.1	death G93.82 syndrome — <i>see</i> Syndrome, brain	mouth R06.5 causing malocclusion M26.5 ☑
Baghdad B55.1	Branched-chain amino-acid disorder E71.2	periodic R06.3
Delhi B55.1	Branchial — see condition	high altitude G47.32
lacrimal	cartilage, congenital Q18.2 Branchiogenic remnant (in neck) Q18.0	Breathlessness R06.81
gland — see Dacryoadenitis passages (duct) (sac) — see Inflammation,	Brandt's syndrome (acrodermatitis enteropathica)	Breda's disease — <i>see</i> Yaws Breech presentation (mother) O32.1 ☑
lacrimal, passages, acute	E83.2	causing obstructed labor O64.1 ☑
Natal B55.1	Brash (water) R12	footling O32.8 🗹
orbit, orbital — see Abscess, orbit	Bravais-jacksonian epilepsy — <i>see</i> Epilepsy, localization-related, symptomatic, with simple	causing obstructed labor O64.8 ☑
tropical B55.1 Bold hives — see Urticaria	partial seizures	incomplete O32.8 ☑ causing obstructed labor O64.8 ☑
Bombé, iris — see Membrane, pupillary	Braxton Hicks contractions — see False, labor	Breisky's disease N90.4
Bone — see condition	Brazilian leishmaniasis B55.2 BRBPR K62.5	Brennemann's syndrome 188.0
Bonnevie-Ullrich syndrome Q87.1 Bonnier's syndromeH81.8	Break, retina (without detachment) H33.30- ☑	Brenner tumor (benign) D27.9
Bonvale dam fever T73.3 ☑	with retinal detachment — see Detachment,	borderline malignancy D39.1- ☑
Bony block of joint — see Ankylosis	retina	malignant C56 🗹
BOOP (bronchiolitis obliterans organized	horseshoe tear H33.31- ☑ multiple H33.33- ☑	proliferating D39.1- 🗹
pneumonia) J84.89 Borderline	round hole H33.32- ☑	Bretonneau's disease or angina A36.0 Breus' mole O02.0
diabetes mellitus R73.09	Breakdown	Brevicollis Q76.49
hypertension R03.0	device, graft or implant (see also Complications,	Brickmakers' anemia B76.9 [D63.8]
osteopenia M85.8- 🗹	by site and type, mechanical) T85.618 ☑ arterial graft NEC — see Complication,	Bridge, myocardial Q24.5 Bright red blood per rectum (BRBPR) K62.5
pelvis, with obstruction during labor O65.1 personality F60.3	cardiovascular device, mechanical, vascular	Bright's disease (see also Nephritis)
Borna disease A83.9	breast (implant) T85.41 🗹	arteriosclerotic — see Hypertension, kidney
Bornholm disease B33.0	catheter NEC T85.618 ☑	Brill (-Zinsser) disease (recrudescent typhus) A75.1
Boston exanthem A88.0 Botalli, ductus (patent) (persistent) Q25.0	cystostomy T83.010 ☑ dialysis (renal) T82.41 ☑	flea-borne A75.2 louse-borne A75.1
Bothriocephalus latus infestation B70.0	intraperitoneal T85.611 ☑	Brill-Symmers' disease C82.90
Botulism (foodborne intoxication) A05.1	infusion NECT82.514 ☑	Brion-Kayser disease — see Fever, parathyroid
infant A48.51 non-foodborne A48.52	spinal (epidural) (subdural) T85.610 ☑ urinary (indwelling) T83.018 ☑	Briquet's disorder or syndrome F45.0 Brissaud's
wound A48.52	electronic (electrode) (pulse generator)	infantilism or dwarfism E23.0
Bouba — see Yaws	(stimulator)	motor-verbal tic F95.2
Bouchard's nodes (with arthropathy) M15.2	bone T84.310 ☑	Brittle
Bouffée délirante F23 Bouillaud's disease or syndrome (rheumatic heart	cardiac T82.119 ☑ electrode T82.110 ☑	bones disease Q78.0 nails L60.3
disease) 101.9	pulse generator T82.111 ☑	congenital Q84.6
Bourneville's disease Q85.1	specified type NEC T82.118 ☑	Broad (see also condition)
Boutonniere deformity (finger) — <i>see</i> Deformity, finger, boutonniere	nervous system — see Complication, prosthetic device, mechanical, electronic	beta disease E78.2 ligament laceration syndrome N83.8
Bouveret (-Hoffmann) syndrome (paroxysmal	nervous system stimulator	Broad- or floating-betalipoproteinemia E78.2
tachycardia) I47.9	urinary — see Complication, genitourinary,	Brock's syndrome (atelectasis due to enlarged
Bovine heart — see Hypertrophy, cardiac	device, urinary, mechanical fixation, internal (orthopedic) NEC — see	lymph nodes) J98.19
Bowel — see condition Bowen's	Complication, fixation device, mechanical	Brocq-Duhring disease (dermatitis herpetiformis) L13.0
dermatosis (precancerous) — see Neoplasm, skin,	gastrointestinal — see Complications,	Brodie's abscess or disease M86.8X- ☑
in situ	prosthetic device, mechanical,	Broken
disease — <i>see</i> Neoplasm, skin, in situ epithelioma — <i>see</i> Neoplasm, skin, in situ	gastrointestinal device genital NEC T83.418 ☑	arches (see also Deformity, limb, flat foot) arm (meaning upper limb) — see Fracture, arm
type	intrauterine contraceptive device T83.31 ☑	back — see Fracture, vertebra
epidermoid carcinoma-in-situ — <i>see</i> Neoplasm,	penile prosthesis T83.410 ☑	bone — see Fracture
skin, in situ	heart NEC — see Complication, cardiovascular device, mechanical	implant or internal device — see Complications,
intraepidermal squamous cell carcinoma — see Neoplasm, skin, in situ	joint prosthesis — see Complications, joint	by site and type, mechanical leg (meaning lower limb) — see Fracture, leg
reopidani, anii, iir atu	prosthesis,internal, mechanical, by site	nose S02.2 🗹

Fracture - Furuncle

Fracture — continued Freckle (s) L81.2 Frostbite — continued fifth S32.059 ☑ burst (stable) S32.051 ☑ malignant melanoma in — see Melanoma pelvis T33.3 ☑ melanotic (Hutchinson's) — see Melanoma, in with tissue necrosis T34.3 ☑ specified site NEC T33.99 ☑ unstable S32.052 ☑ specified type NEC S32.058 ☑ situ retinal D49.81 with tissue necrosis T34.99 ☑ thigh — see Frostbite, hip thorax T33.2 ☑ Frederickson's hyperlipoproteinemia, type wedge compression \$32.050 ☑ I and V E78.3 IIA E78.0 first S32.019 ☑ burst (stable) S32.011 ☑ unstable S32.012 ☑ specified type NEC S32.018 ☑ with tissue necrosis T34.2 ☑ toes T33.83- ☑ IIB and III E78.2 IV E78.1 **Freeman** Sheldon syndrome Q87.0 with tissue necrosis T34.83- ☑ wedge compression S32.010 ☑ fourth S32.049 ☑ burst (stable) S32.041 ☑ trunk T33.99 ☑ with tissue necrosis T34.99 ☑ wrist T33.51- ☑ Freezing (see also Effect, adverse, cold) T69.9 ☑ **Freiberg's** disease (infraction of metatarsal head or osteochondrosis) — *see* Osteochondrosis, juvenile, burst (stable) 532.041 unstable S32.042 specified type NEC S32.048 wedge compression S32.040 second S32.029 burst (stable) S32.021 burst (stable) S32.021 □ with tissue necrosis T34.51- ☑ Frotteurism F65.81 Frei's disease A55 Fremitus, friction, cardiac R01.2 Frozen (see also Effect, adverse, cold) T69.9 ☑ pelvis (female) N94.89 male K66.8 shoulder — see Capsulitis, adhesive Fructokinase deficiency E74.11 Fructosemia (benign) (essential) E74.12 Fructosemia (benign) (essential) E74.12 Frentus, friction, Cardiac R01.2 Frenum, frenulum external os Q51.828 tongue (shortening) (congenital) Q38.1 Frequency mictarition (nocturnal) R35.0 burst (stable) 532.021 ☑ unstable 532.022 ☑ specified type NEC 532.028 ☑ wedge compression 532.020 ☑ specified type NEC 532.008 ☑ psychogenic F45.8 **Frey's** syndrome third S32.039 ☑ burst (stable) S32.031 ☑ Fructosuria (benign) (essential) E74.11 auriculotemporal G50.8 Fuchs' hyperhidrosis L74.52 Friction unstable \$32.032 ☑ specified type NEC \$32.038 ☑ wedge compression \$32.030 ☑ black spot (myopic) H44.2- ☑ dystrophy (corneal endothelium) H18.51 heterochromic cyclitis — see Cyclitis, Fuchs' burn — see Burn, by site fremitus, cardiac R01.2 precordial R01.2 wedge compression S32.000 ☑ heterochromic Fucosidosis E77.1 Fugue R68.89 metastatic — see Collapse, vertebra, in, specified disease NEC (see also Neoplasm) sounds, chest R09.89 Friderichsen-Waterhouse syndrome or disease dissociative F44.1 newborn (birth injury) P11.5 sacrum S32.10 ☑ specified NEC S32.19 ☑ hysterical (dissociative) F44.1 postictal in epilepsy — see Epilepsy reaction to exceptional stress (transient) F43.0 Friedländer's B (bacillus) NEC (see also condition) A49.8 Friedreich's 1 S32.14 ☑ **Fulminant,** fulminating — see condition **Functional** (see also condition) 2 S32.15 ☑ ataxia G11.1 combined systemic disease G11.1 facial hemihypertrophy Q67.4 bleeding (uterus) N93.8 Functioning, intellectual, borderline R41.83 Fundus — see condition 4 S32.17 ☑ sclerosis (cerebellum) (spinal cord) G11.1 Zone I S32.119 ☑ Frigidity F52.22 Fungemia NOS B49 displaced (minimally) S32.111 ☑ severely S32.112 ☑ Fröhlich's syndrome E23.6 Fungus, fungous cerebral G93.89 Frontal (see also condition) lobe syndrome F07.0 nondisplaced S32.110 ☑ II S32.129 ☑ disease NOS B49 Frostbite (superficial) T33.90 ☑ infection — see Infection, fungus **Funiculitis** (acute) (chronic) (endemic) N49.1 displaced (minimally) S32.121 ☑ partial thickness skin loss — see Frostbite severely S32.122 ☑ nondisplaced S32.120 ☑ gonococcal (acute) (chronic) A54.23 (superficial), by site tuberculous A18.15 tissue necrosis T34.90 ☑ abdominal wall T33.3 ☑ III S32.139 ☑ Funnel displaced (minimally) S32.131 ☑ severely S32.132 ☑ nondisplaced S32.130 ☑ breast (acquired) M95.4 with tissue necrosis T34.3 ☑ congenital Q67.6 sequelae (late effect) of rickets E64.3 ankle T33.81- ☑ thoracic — see Fracture, thorax, vertebra vertex S02.0 ☑ with tissue necrosis T34.81- ☑ chest (acquired) M95.4 congenital Q67.6 sequelae (late effect) of rickets E64.3 arm T33.4- ☑ with tissue necrosis T34.4- minger (s) — see Frostbite, finger hand — see Frostbite, hand wrist — see Frostbite, wrist ear T33.01vomer (bone) S02.2 ☑ wrist S62.10- carpal — see Fracture, carpal bone navicular (scaphoid) (hand) — see Fracture, pelvis (acquired) M95.5 with disproportion (fetopelvic) O33.3 ☑ causing obstructed labor O65.3 carpal, navicular xiphisternum, xiphoid (process) S22.24 ☑ zygoma S02.402 ☑ congenital Q74.2 **FUO** (fever of unknown origin) R50.9 **Furfur** L21.0 with tissue necrosis T34.01- ☑ face T33.09 ☑ with tissue necrosis T34.09 ☑ microsporon B36.0 Furrier's lung J67.8 Furrowed K14.5 Fragile, fragility autosomal site Q95.5 finger T33.53- ☑ with tissue necrosis T34.53- ☑ foot T33.82- ☑ bone, congenital (with blue sclera) Q78.0 nail (s) (transverse) L60.4 congenital Q84.6 tongue K14.5 capillary (hereditary) D69.8 hair L67.8 with tissue necrosis T34.82- ☑ nails L60.3 hand T33.52- ☑ with tissue necrosis T34.52- ☑ congenital Q38.3 Furuncle L02.92 non-sex chromosome site Q95.5 X chromosome Q99.2 head T33.09 ☑ with tissue necrosis T34.09 ☑ ear — see Frostbite, ear abdominal wall L02.221 crinium L67.8 ossium (with blue sclerae) (hereditary) Q78.0 ankle — *see* Furuncle, lower limb anus K61.0 nose — see Frostbite, nose hip (and thigh) T33.6- ☑ with tissue necrosis T34.6- ☑ unguium L60.3 congenital Q84.6 Fragments, cataract (lens), following cataract surgery H59.02antecubital space — see Furuncle, upper limb arm — see Furuncle, upper limb auditory canal, external — see Abscess, ear, knee T33.7- ☑ with tissue necrosis T34.7- ☑ external leg T33.9- ☑ retained foreign body — see Retained, foreign body fragments (type of) Frailty (frail) R54 auricle (ear) — see Abscess, ear, external axilla (region) L02.42- ☑ back (any part) L02.222 with tissue necrosis T34.9- ☑ ankle — see Frostbite, ankle foot — see Frostbite, foot mental R41.81 breast N61 buttock L02.32 Frambesia, frambesial (tropica) (see also Yaws) knee — see Frostbite, knee lower T33.7- ☑ cheek (external) L02.02 chest wall L02.223 chin L02.02 initial lesion or ulcer A66.0 with tissue necrosis T34.7- ☑ primary A66.0 **Frambeside** thigh — see Frostbite, hip toe — see Frostbite, toe gummatous A66.4 corpus cavernosum N48.21 of early yaws A66.2 **Frambesioma** A66.1 ear, external — see Abscess, ear, external external auditory canal — see Abscess, ear, lower T33.99 ☑ with tissue necrosis T34.99 ☑ Franceschetti-Klein (-Wildervanck) disease or external upper — see Frostbite, arm eyelid — *see* Abscess, eyelid face L02.02 syndrome Q75.4 Francis' disease — see Tularemia Franklin disease C88.2 neck T33.1 ☑ with tissue necrosis T34.1 ☑ femoral (region) — see Furuncle, lower limb nose T33.02 ☑ Frank's essential thrombocytopenia D69.3 finger — see Furuncle, hand flank L02.221 Fraser's syndrome Q87.0 with tissue necrosis T34.02 ☑

Milk - Monoplegia

Milk
crust L21.0
excessive secretion O92.6
poisoning — see Poisoning, food, noxious
retention O92.79
sickness — see Poisoning, food, noxious
spots I31.0
Milk-alkali disease or syndrome E83.52
Milk-leg (deep vessels) (nonpuerperal) — see
Embolism, vein, lower extremity
complicating pregnancy O22.3- ☑
puerperal, postpartum, childbirth O87.1
Milkman's disease or syndrome M83.8
Milky urine — see Chyluria
Millard-Gubler (-Foville) paralysis or syndrome
G46.3
Millar's asthma J38.5
Miller Fisher syndrome G61.0
Mills' disease — see Hemiplegia
Millstone maker's pneumoconiosis J62.8
Milroy's disease (chronic hereditary edema) Q82.0
Minamata disease T26.1- ☑
Miners' asthma or lung J60
Minkowski-Chauffard syndrome — see
Spherocytosis
Minor — see condition
Minor's disease (hematomyelia) G95.19
Minot's disease (hemorrhagic disease), newborn P53
Minot-von Willebrand-Jurgens disease or syndrome
(angiohemophilia) D68.0
Minus (and plus) hand (intrinsic) — see Deformity,
limb, specified type NEC, forearm
Miosis (pupil) H57.03
Mirizzi's syndrome (hepatic duct stenosis) K83.1
Mirror writing F81.0
Misadventure (of) (prophylactic) (therapeutic) (see
also Complications) T88.9 ☑
administration of insulin (by accident)T38.3
infusion — see Complications, infusion
local applications (of fomentations, plasters, etc.)
T88.9 ☑
burn or scald — see Burn
specified NEC T88.8 ☑
medical care (early) (late) T88.9 ☑
adverse effect of drugs or chemicals — see
Table of Drugs and Chemicals
medical care (early) (late) burn or scald — <i>see</i> Burn
specified NEC T88.8 ☑
specified NEC T88.8 ☑
surgical procedure (early) (late) — see
Complications, surgical procedure
transfusion — see Complications, transfusion
vaccination or other immunological procedure —
see Complications, vaccination
Miscarriage 003.9
Misdirection, aqueous H40.83- ☑
Misperception, sleep state F51.02
Misplaced, misplacement
ear Q17.4
kidney (acquired) N28.89
congenital Q63.2
organ or site, congenital NEC — see Malposition,
congenital
Missed
abortion O02.1
delivery O36.4 ☑
Missing — see Absence
Misuse of drugs F19.99
Mitchell's disease (erythromelalgia) 173.81
Mite (s) (infestation) B88.9
diarrhea B88.0
grain (itch) B88.0
hair follicle (itch) B88.0
in sputum B88.0
Mitral — see condition
Mittelschmerz N94.0
Mixed — see condition
MNGIE (Mitochondrial Neurogastrointestinal
Encephalopathy) syndrome E88.49
Mobile, mobility
cecum Q43.3
excessive — see Hypermobility
gallbladder, congenital Q44.1
kidney N28.89
organ or site, congenital NEC — see Malposition,
congenital
Mobitz heart block (atrioventricular) I44.1
Moebius, Möbius
disease (ophthalmoplegic migraine) — see
Migraine onhthalmonlegic

```
Moebius — continued
       congenital oculofacial paralysis (with other anomalies) Q87.0
       ophthalmoplegic migraine — see Migraine,
ophthalmoplegic

Moeller's glossitis K14.0

Mohr's syndrome (Types I and II) Q87.0
Mola destruens D39.2
Molar pregnancy 002.0
Molarization of premolars K00.2
Molding, head (during birth) - omit code
Mole (pigmented) (see also Nevus) blood O02.0
     Breus' O02.0
    cancerous — see Melanoma carneous 002.0
     destructive D39.2
     fleshy 002.0
     hydatid, hydatidiform (benign) (complicating
       pregnancy) (delivered) (undelivered) O01.9 classical O01.0
       complete 001.0
       incomplete 001.1 invasive D39.2
        malignant D39.2
     partial O01.1 intrauterine O02.0
     invasive (hydatidiform) D39.2
     malignant
        meaning
           malignant hydatidiform mole D39.2
     melanoma — see Melanoma
nonhydatidiform O02.0
     nonpigmented — see Nevus
pregnancy NEC 002.0
skin — see Nevus
     tubal O00.1
vesicular — see Mole, hydatidiform
Molimen, molimina (menstrual) N94.3
Molluscum contagiosum (epitheliale) B08.1
Mönckeberg's arteriosclerosis, disease, or sclerosis
— see Arteriosclerosis, extremities
Mondini's malformation (cochlea) Q16.5
Mondor's disease I80.8
Monge's disease T70.29 ☑
Monilethrix (congenital) Q84.1
Moniliasis (see also Candidiasis) B37.9
neonatal P37.5
Monitoring (encounter for)
therapeutic drug level Z51.81
Monkey malaria B53.1
Monkeypox B04
Monoarthritis M13.10
ankle M13.17- ☑
     elbow M13.12- ☑
foot joint M13.17- ☑
     hand joint M13.14- ☑
     hip M13.15- ☑
knee M13.16- ☑
     shoulder M13.11- ☑
wrist M13.13- ☑

Monoblastic — see condition

Monochromat (ism), monochromatopsia (acquired)
(congenital) H53.51

Monocytic — see condition

Monocytopenia D72.818
Monocytosis (symptomatic) D72.821
Monomania — see Psychosis
Mononeuritis G58.9
     cutaneous nerve of thigh G57.1- 
popliteal nerve G57.3- 
lower limb G57.9-
    specified nerve NEC G57.8- ☑
medial popliteal nerve G57.4- ☑
     median nerve G56.1- ☑
multiplex G58.7
plantar nerve G57.6- ☑
     posterior tibial nerve G57.5- ☑
     radial nerve G56.3- ☑
sciatic nerve G57.0- ☑
     specified NEC G58.8
     tibial nerve G57.4- ☑
ulnar nerve G56.2- ☑
     upper limb G56.9- ☑
     specified nerve NEC G56.8- ☑ vestibularH93.3
Mononeuropathy G58.9
     carpal tunnel syndrome — see Syndrome, carpal
```

```
Mononeuropathy — continued
     diabetic NEC — see E08-E13 with .41
     femoral nerve — see Lesion, nerve, femoral
     ilioinguinal nerve G57.8- ☑
    in diseases classified elsewhereG59 intercostal G58.0
     lower limb G57.9- ☑
       causalgia — see Causalgia, lower limb
       femoral nerve — see Lesion, nerve, femoral meralgia paresthetica G57.1- ☑
       plantar nerve — see Lesion, nerve, plantar
       popliteal nerve — see Lesion, nerve, popliteal
       sciatic nerve — see Lesion, nerve, pop
sciatic nerve — see Lesion, nerve, sciatic
specified NEC G57.8- ☑
       tarsal tunnel syndrome — see Syndrome, tarsal
            tunnel
    median nerve — see Lesion, nerve, median multiplex G58.7
    obturator nerve G57.8- ☑
    popliteal nerve — see Lesion, nerve, popliteal radial nerve — see Lesion, nerve, radial
    saphenous nerve G57.8- ☑
    specified NEC G58.8 tarsal tunnel syndrome

    see Syndrome, tarsal

    tuberculous A17.83
ulnar nerve — see Lesion, nerve, ulnar
     upper limb G56.9- ☑
       carpal tunnel syndrome — see Syndrome,
carpal tunnel
       causalgia — see Causalgia
median nerve — see Lesion, nerve, median
radial nerve — see Lesion, nerve, radial
       specified site NEC G56.8- ☑
ulnar nerve — see Lesion, nerve, ulnar Mononucleosis, infectious B27.90
       complication NEC B27.99
       meningitis B27.92
    polyneuropathy B27.91
cytomegaloviral B27.10
       with
          complication NEC B27.19
         meningitis B27.12
polyneuropathy B27.11
    Epstein-Barr (virus) B27.00
       with
         complication NEC B27.09
          meningitis B27.02
    polyneuropathy B27.01
gammaherpesviral B27.00
          complication NEC B27.09
          meningitis B27.02
    polyneuropathy B27.01
specified NEC B27.80
       with
          complication NEC B27.89
meningitis B27.82
polyneuropathy B27.81
Monoplegia G83.3- ☑
congenital (cerebral) G80.8
       spastic G80.1
     embolic (current episode) I63.4 ☑
    following cerebrovascular disease
          cerebral infarction
lower limb l69.34- ☑
            upper limb l69.33- ☑
          intracerebral hemorrhage lower limb I69.14- ☑
            upper limb l69.13- ☑
          lower limb I69.94- ☑
nontraumatic intracranial hemorrhage NEC
            lower limb I69.24- ☑
          upper limb I69.23- ☑ specified disease NEC
            lower limb 169.84- ☑
          upper limb l69.83- ☑
stroke NOS
            lower limb I69.34- ☑
          upper limb l69.33- ☑
subarachnoid hemorrhage
            lower limb l69.04- ☑
upper limb l69.03- ☑
          upper limb l69.93- ☑
    hysterical (transient) F44.4
lower limb G83.1- ☑
    psychogenic (conversion reaction) F44.4
     thrombotic (current episode) 163.3 🗹
    transient R29.818
     upper limb G83.2- ☑
```

syndrome Q87.0

Osteonecrosis - Otitis

Osteonecrosis — continued	Osteoporosis — continued	Otitis — continued
ischium M87.85- ☑	metacarpus M80.84- ☑	with effusion (see also Otitis, media,
metacarpus M87.84- ☑	metatarsus M80.87- ☑	nonsuppurative, chronic)
metatarsus M87.87- ☑ multiple sites M87.89	pelvis M80.85- ☑ radius M80.83- ☑	externa H60.9- ☑ abscess — <i>see</i> Abscess, ear, external
neck M87.88	scapula M80.81- ☑	acute (noninfective) H60.50- ☑
radius M87.83- ☑	tarsus M80.87- ☑	actinic H60.51- ☑
rib M87.88	tibia M80.86- ☑	chemical H60.52- ☑
scapula M87.81- ☑	toe M80.87- ☑	contact H60.53- ☑
skull M87.88 tarsus M87.87- ☑	ulna M80.83- ☑ vertebra M80.88 ☑	eczematoid H60.54- ☑ infective — <i>see</i> Otitis, externa, infective
tibia M87.86- ☑	drug-induced — see Osteoporosis, specified	reactive H60.55- ☑
toe M87.87- ☑	type NEC	specified NEC H60.59- ☑
ulna M87.83- ☑	idiopathic — <i>see</i> Osteoporosis, specified type	cellulitis — see Cellulitis, ear
vertebra M87.88 Osteo-onycho-arthro-dysplasia Q79.8	NEC involutional — <i>see</i> Osteoporosis, age-related	chronic H60.6- ☑ diffuse — see Otitis, externa, infective, diffuse
Osteo-onychodysplasia, hereditary Q79.8	Leguesne M81.6	hemorrhagic — see Otitis, externa, infective,
Osteopathia condensans disseminata Q78.8	localized M81.6	hemorrhagic
Osteopathy (see also Osteomyelitis, Osteonecrosis,	postmenopausal M81.0	in (due to)
Osteoporosis) after poliomyelitis M89.60	with pathological fracture M80.00 ☑ carpus M80.04- ☑	aspergillosis B44.89 candidiasis B37.84
carpus M89.64- ☑	clavicle M80.01- ☑	erysipelas A46 [H62.40]
clavicle M89.61- ☑	fibula M80.06- ☑	herpes (simplex) virus infection B00.1
femur M89.65- ☑	finger M80.04- ☑	zoster B02.8
fibula M89.66-	humerus M80.02- ☑	impetigo L01.00 [H62.40]
humerus M89.62- ☑	ilium M80.05- ☑ ischium M80.05- ☑	infectious disease NEC B99 ☑ [H62.4- ☑] mycosis NEC B36.9 [H62.40]
ilium M89.659	metacarpus M80.04- ☑	parasitic disease NEC B89 [H62.40]
ischium M89.659	metatarsus M80.07- ☑	viral disease NEC B34.9 [H62.40]
metacarpus M89.64- ☑	pelvis M80.05- ☑	zoster B02.8
metatarsus M89.67- ☑ multiple sites M89.69	radius M80.03- ☑ scapula M80.01- ☑	infective NEC H60.39- ☑ abscess — see Abscess, ear, external
neck M89.68	tarsus M80.07- ☑	cellulitis — see Cellulitis, ear
radius M89.63- ☑	tibia M80.06- ☑	diffuse H60.31- ☑
rib M89.68	toe M80.07- ☑	hemorrhagic H60.32- ☑
scapula M89.61-	ulna M80.03- ☑ vertebra M80.08 ☑	swimmer's ear — see Swimmer's, ear
tarsus M89.67- ☑	postoophorectomy — see Osteoporosis, specified	malignant H60.2- ☑ mycotic B36.9 [H62.40]
tibia M89.66- ☑	type NEC	necrotizing — see Otitis, externa, malignant
toe M89.67- ☑	postsurgical malabsorption — see Osteoporosis,	Pseudomonas aeruginosa — see Otitis, externa
ulna M89.63- ☑	specified type NEC	malignant
vertebra M89.68 in (due to)	post-traumatic — <i>see</i> Osteoporosis, specified type NEC	reactive — see Otitis, externa, acute, reactive specified NECH60.8
renal osteodystrophy N25.0	senile — see Osteoporosis, age-related	tropical B36.8
specified diseases classified elsewhere M90.8	specified type NEC M81.8	insidiosa — <i>see</i> Otosclerosis
Osteopenia M85.8- 🗹	with pathological fracture M80.80 ☑	internaH83.0
borderline M85.8- ☑ Osteoperiostitis — see Osteomyelitis, specified	carpus M80.84- ☑ clavicle M80.81- ☑	media (hemorrhagic) (staphylococcal) (streptococcal) H66.9- ☑
type NEC	fibula M80.86- ☑	with effusion (nonpurulent) — see Otitis,
Osteopetrosis (familial) Q78.2	finger M80.84- ☑	media, nonsuppurative
Osteophyte M25.70	humerus M80.82- ☑	acute, subacute H66.90
ankle M25.77- ☑ elbow M25.72- ☑	ilium M80.85- ☑ ischium M80.85- ☑	allergic — see Otitis, media, nonsuppurative,
foot joint M25.77- ☑	metacarpus M80.84- ☑	acute, allergic exudative — <i>see</i> Otitis, media,
hand joint M25.74- ☑	metatarsus M80.87- ☑	nonsuppurative, acute
hip M25.75- ☑	pelvis M80.85- ☑	mucoid — see Otitis, media, nonsuppurative
knee M25.76- ☑	radius M80.83- ☑	acute
shoulder M25.71- ☑ spine M25.78	scapula M80.81- ☑ tarsus M80.87- ☑	necrotizing (see also Otitis, media, suppurative, acute)
vertebrae M25.78	tibia M80.86- ☑	in
wrist M25.73- ☑	toe M80.87- ☑	measles B05.3
Osteopoikilosis Q78.8	ulna M80.83- ☑	scarlet fever A38.0
Osteoporosis (female) (male) M81.0 with current pathological fracture M80.00 ✓	vertebra M80.88 ☑ Osteopsathyrosis (idiopathica) Q78.0	nonsuppurative NEC — <i>see</i> Otitis, media, nonsuppurative, acute
age-related M81.0	Osteoradionecrosis, jaw (acute) (chronic) (lower)	purulent — see Otitis, media, suppurative,
with current pathologic fracture M80.00 🗹	(suppurative) (upper) M27.2	acute
carpus M80.04- ☑	Osteosarcoma (any form) — see Neoplasm, bone,	sanguinous — see Otitis, media,
clavicle M80.01- ☑ fibula M80.06- ☑	malignant Osteosclerosis Q78.2	nonsuppurative, acute secretory — <i>see</i> Otitis, media,
finger M80.04- ☑	acquired M85.8- ☑	nonsuppurative, acute, serous
humerus M80.02- ☑	congenita Q77.4	seromucinous — see Otitis, media,
ilium M80.05- ☑	fragilitas (generalisata) Q78.2	nonsuppurative, acute
ischium M80.05- ☑ metacarpus M80.04- ☑	myelofibrosis D75.81 Osteosclerotic anemia D64.89	serous — see Otitis, media, nonsuppurative, acute, serous
metatarsus M80.07- ☑	Osteosis	suppurative — see Otitis, media, suppurative
pelvis M80.05- ☑	cutis L94.2	acute
radius M80.03- ☑	renal fibrocystic N25.0	allergic — see Otitis, media, nonsuppurative
scapula M80.01- ☑	Österreicher-Turner syndrome Q87.2	catarrhal — see Otitis, media, nonsuppurative
tarsus M80.07- ☑ tibia M80.06- ☑	Ostium atrioventriculare commune Q21.2	chronic H66.90 with effusion (nonpurulent) — <i>see</i> Otitis,
toe M80.07- ☑	primum (arteriosum) (defect) (persistent) Q21.2	media, nonsuppurative, chronic
ulna M80.03- ☑	secundum (arteriosum) (defect) (patent)	allergic — see Otitis, media, nonsuppurative,
vertebra M80.08 ☑	(persistent) Q21.1	chronic, allergic
disuse M81.8 with current pathological fracture M80.80 ☑	Ostrum-Furst syndrome Q75.8 OtalgiaH92.0	benign suppurative — see Otitis, media, suppurative, chronic, tubotympanic
carpus M80.84- ☑	Otitis (acute) H66.90	catarrhal — see Otitis, media,
clavicle M80.81- ☑	with effusion (see also Otitis, media,	nonsuppurative, chronic, serous
fibula M80.86- ☑	nonsuppurative)	exudative — see Otitis, media,
finger M80.84- ☑ humerus M80.82- ☑	purulent — <i>see</i> Otitis, media, suppurative adhesiveH74.1	nonsuppurative, chronic mucinous — <i>see</i> Otitis, media,
ilium M80.85- ☑	chronic (see also Otitis, media, chronic)	nonsuppurative, chronic, mucoid
ischium M80.85- ☑		l

Paraganglioma - Paralysis

Paraganglioma — continued
specified site — <i>see</i> Neoplasm, malignant, by
site
unspecified site C75.5
nonchromaffin D44.7
malignant C75.5
specified site — see Neoplasm, malignant,
by site
unspecified site C75.5
specified site — see Neoplasm, uncertain
behavior, by site
unspecified site D44.7
parasympathetic D44.7
specified site — <i>see</i> Neoplasm, uncertain
behavior, by site
unspecified site D44.7
specified site — see Neoplasm, uncertain
behavior, by site
sympathetic D44.7
specified site — see Neoplasm, uncertain
behavior, by site
unspecified site D44.7
unspecified site D44.7
Parageusia R43.2
psychogenic F45.8
Paragonimiasis B66.4
Paragranuloma, Hodgkin — see Lymphoma,
Hodgkin, classical, specified NEC
Parahemophilia (see also Defect, coagulation) D68.2
Parakeratosis R23.4
variegata L41.0
Paralysis, paralytic (complete) (incomplete) G83.9
with
syphilis A52.17
abducens, abducent (nerve) — see Strabismus,
paralytic, sixth nerve
abductor, lower extremity G57.9- ☑
accessory nerve G52.8
accommodation (see also Paresis, of
accommodation)
hysterical F44.89
acoustic nerve (except Deafness)H93.3
agitans (<i>see also</i> Parkinsonism) G20
arteriosclerotic G21.4
alternating (oculomotor) G83.89
amyotrophic G12.21
ankle G57.9- ☑
anus (sphincter) K62.89
arm — see Monoplegia, upper limb
ascending (spinal), acute G61.0
association G12.29
asthenic bulbar G70.00
with exacerbation (acute) G70.01
in crisis G70.01
ataxic (hereditary) G11.9
general (syphilitic) A52.17
atrophic G58.9
infantile, acute — see Poliomyelitis, paralytic
progressive G12.22
spinal (acute) — see Poliomyelitis, paralytic
axillary G54.0
Babinski-Nageotte's G83.89
Bell's G51.0
newborn P11.3
Benedikt's G46.3
birth injury P14.9
spinal cord P11.5
bladder (neurogenic) (sphincter) N31.2
bowel, colon or intestine K56.0
brachial plexus G54.0
birth injury P14.3
newborn (birth injury) P14.3
brain G83.9
diplegia G83.0
triplegia G83.89
bronchial J98.09
Brown-Séquard G83.81
bulbar (chronic) (progressive) G12.22
infantile — see Poliomyelitis, paralytic
poliomyelitic — see Poliomyelitis, paralytic
pseudo G12.29
bulbospinal G70.00
with exacerbation (acute) G70.01
in crisis G70.01
cardiac (see also Failure, heart) 150.9
cerebrocerebellar, diplegic G80.1
cervical
plexus G54.2
sympathetic G90.09
Céstan-Chenais G46.3
Charles Coop C
Clark's G80.9

Paralysis — continued
colon K56.0
compressed air T70.3 ☑
compression arm G56.9- ☑
leg G57.9- ☑
lower extremity G57.9- ☑ upper extremity G56.9- ☑
congenital (cerebral) — see Palsy, cerebral
conjugate movement (gaze) (of eye) H51.0
cortical (nuclear) (supranuclear) H51.0 cordis — <i>see</i> Failure, heart
cranial or cerebral nerve G52.9
creeping G12.22
crossed leg G83.89 crutch — <i>see</i> Injury, brachial plexus
deglutition R13.0
hysterical F44.4
dementia A52.17 descending (spinal) NEC G12.29
diaphragm (flaccid) J98.6
due to accidental dissection of phrenic
nerve during procedure — see Puncture, accidental complicating surgery
digestive organs NEC K59.8
diplegic — <i>see</i> Diplegia divergence (nuclear) H51.8
diver's T70.3 ☑
Duchenne's
birth injury P14.0 due to or associated with
motor neuron disease G12.22
muscular dystrophy G71.0
due to intracranial or spinal birth injury — see Palsy, cerebral
embolic (current episode) l63.4 ☑
Erb (-Duchenne) (birth) (newborn) P14.0
Erb's syphilitic spastic spinal A52.17 esophagus K22.8
eye muscle (extrinsic) H49.9
intrinsic (see also Paresis, of accommodation) facial (nerve) G51.0
birth injury P11.3
congenital P11.3
following operation NEC — see Puncture, accidental complicating surgery
newborn (birth injury) P11.3
familial (recurrent) (periodic) G72.3
spastic G11.4 fauces J39.2
finger G56.9- ☑
gait R26.1 gastric nerve (nondiabetic) G52.2
gaze, conjugate H51.0
general (progressive) (syphilitic) A52.17
juvenile A50.45 glottis J38.00
bilateral J38.02
unilateral J38.01
gluteal G54.1 Gubler (-Millard) G46.3
hand — <i>see</i> Monoplegia, upper limb heart — <i>see</i> Arrest, cardiac
hemiplegic — <i>see</i> Hemiplegia hyperkalemic periodic (familial) G72.3
hypoglossal (nerve) G52.3
hypokalemic periodic G72.3
hysterical F44.4 ileus K56.0
infantile (see also Poliomyelitis, paralytic) A80.30
bulbar — see Poliomyelitis, paralytic cerebral — see Palsy, cerebral
spastic — see Palsy, cerebral, spastic
spastic — <i>see</i> Palsy, cerebral, spastic infective — <i>see</i> Poliomyelitis, paralytic
inferior nuclear G83.9 internuclear — <i>see</i> Ophthalmoplegia,
internuclear
intestine K56.0
iris H57.09 due to diphtheria (toxin) A36.89
ischemic, Volkmann's (complicating trauma)
T79.6 ☑ Jackson's G83.89
jake — see Poisoning, food, noxious, plant
Jamaica ginger (jake) G62.2
juvenile general A50.45 Klumpke (-Déjérine) (birth) (newborn) P14.1
labioglossal (laryngeal) (pharyngeal) G12.29
Landry's G61.0
laryngeal nerve (recurrent) (superior) (unilateral) J38.00
bilateral J38.02

Paralysis — continued
unilateral J38.01
larynx J38.00 bilateral J38.02
due to diphtheria (toxin) A36.2
unilateral J38.01
lateral G12.21 leadT56.0
left side — <i>see</i> Hemiplegia
leg G83.1- ☑
both — <i>see</i> Paraplegia crossed G83.89
hysterical F44.4
psychogenic F44.4
transient or transitory R29.818 traumatic NEC — see Injury, nerve, leg
levator palpebrae superioris — see
Blepharoptosis, paralytic
limb — <i>see</i> Monoplegia lip K13.0
Lissauer's A52.17
lower limb — see Monoplegia, lower limb
both — <i>see</i> Paraplegia lung J98.4
median nerve G56.1- ☑
medullary (tegmental) G83.89
mesencephalic NEC G83.89 tegmental G83.89
middle alternating G83.89
Millard-Gubler-Foville G46.3
monoplegic — <i>see</i> Monoplegia motor G83.9
muscle, muscular NEC G72.89
due to nerve lesion G58.9
eye (extrinsic) H49.9 intrinsic — <i>see</i> Paresis, of accommodation
oblique — see Strabismus, paralytic, fourth
nerve
iris sphincter H21.9 ischemic (Volkmann's) (complicating trauma)
T79.6 ☑
progressive G12.21
pseudohypertrophic G71.0 musculocutaneous nerve G56.9- ☑
musculospiral G56.9- ☑
nerve (see also Disorder, nerve) abducent — see Strabismus, paralytic, sixth
nerve
accessory G52.8 auditory (except Deafness)H93.3
birth injury P14.9
cranial or cerebral G52.9
facial G51.0 birth injury P11.3
congenital P11.3
newborn (birth injury) P11.3 fourth or trochlear — see Strabismus, paralytic,
fourth nerve
newborn (birth injury) P14.9
oculomotor — <i>see</i> Strabismus, paralytic, third nerve
phrenic (birth injury) P14.2
radial G56.3- ☑ seventh or facial G51.0
newborn (birth injury) P11.3
sixth or abducent — see Strabismus, paralytic,
sixth nerve syphilitic A52.15
third or oculomotor — see Strabismus,
paralytic, third nerve trigeminal G50.9
trochlear — <i>see</i> Strabismus, paralytic, fourth
nerve
ulnar G56.2- ☑ normokalemic periodic G72.3
ocular H49.9
alternating G83.89 oculofacial, congenital (Moebius) Q87.0
oculomotor (external bilateral) (nerve) — see
Strabismus, paralytic, third nerve
palate (soft) K13.79 paratrigeminal G50.9
periodic (familial) (hyperkalemic) (hypokalemic)
(myotonic) (normokalemic) (potassium sensitive) (secondary) G72.3
peripheral autonomic nervous system — see
Neuropathy, peripheral, autonomic
peroneal (nerve) G57.3- ☑ pharynx J39.2
phrenic nerve G56.8- ☑
plantar nerve (s) G57.6- ☑

renal - skin

Neoplasm Index	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
renal — continued						
parenchyma	C64	C79.0-	D09.19	D30.0-	D41.0-	D49.5
pelvis	C65	C79.0-	D09.19	D30.1-	D41.1-	D49.5
respiratory	C20.0	670.20	D02.4	D144	D20.6	D40.1
organs or system NEC tract NEC	C39.9 C39.9	C78.30 C78.30	D02.4 D02.4	D14.4 D14.4	D38.6 D38.5	D49.1 D49.1
upper	C39.9	C78.30	D02.4	D14.4	D38.5	D49.1
retina	C69.2-	C79.49	D09.2-	D31.2-	D48.7	D49.81
retrobulbar	C69.6-	C79.49	-	D31.6-	D48.7	D49.89
retrocecal	C48.0	C78.6	-	D20.0	D48.3	D49.0
retromolar(area) (triangle) (trigone)	C06.2	C79.89	D00.00	D10.39	D37.09	D49.0
retro-orbital	C76.0	C79.89	D09.8	D36.7	D48.7	D49.89
retroperitoneal(space) (tissue)	C48.0	C78.6	-	D20.0	D48.3	D49.0
retroperitoneum	C48.0	C78.6	-	D20.0	D48.3	D49.0
retropharyngeal	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
retrovesical(septum)	C76.3 C71.0	C79.89	D09.8	D36.7	D48.7 D43.0	D49.89
rhinencephalon rib	C/1.0 C41.3	C79.31 C79.51	_	D33.0 D16.7	D43.0 D48.0	D49.6 D49.2
Rosenmuller's fossa	C11.2	C79.51	D00.08	D10.7	D48.0	D49.2 D49.0
round ligament	C57.2	C79.82	-	D28.2	D39.8	D49.5
sacrococcyx, sacrococcygeal	C41.4	C79.51	D16.8	D48.0	D49.2	
region	C76.3	C79.89	D09.8	D36.7	D48.7	D49.89
sacrouterine ligament	C57.3	C79.82	-	D28.2	D39.8	D49.5
sacrum, sacral(vertebra)	C41.4	C79.51	-	D16.8	D48.0	D49.2
salivary gland or duct(major)	C08.9	C79.89	D00.00	D11.9	D37.039	
minor NEC	C06.9	C79.89	D00.00	D10.39	D37.04	D49.0
overlapping lesion	C08.9	-	-	-	-	-
parotid pluriglandular	C07 C08.9	C79.89	D00.00	D11.0 D11.9	D37.030 D37.039	
sublingual	C08.1	C79.89	D00.00	D11.9	D37.039	
submandibular	C08.0	C79.89	D00.00	D11.7	D37.031	_
submaxillary	C08.0	C79.89	D00.00	D11.7	D37.032	
salpinx(uterine)	C57.0-	C79.82	D07.39	D28.2	D39.8	D49.5
Santorini's duct	C25.3	C78.89	D01.7	D13.6	D37.8	D49.0
scalp	C44.40	C79.2	D04.4	D23.4	D48.5	D49.2
basal cell carcinoma	C44.41	-	-	-	-	-
specified type NEC	C44.49	-	-	-	-	-
squamous cell carcinoma	C44.42	-	-	-	-	-
scapula(any part)	C40.0-	C79.51	-	D16.0-	- D40 =	-
scapular region scar NEC (see also	C76.1 C44.90	C79.89 C79.2	D09.8 D04.9	D36.7 D23.9	D48.7 D48.5	D49.89 D49.2
Neoplasm, skin, by site)	C 1 1.50	C, 3.2	501.5	023.5	D 10.5	5 13.2
sciatic nerve	C47.2-	C79.89	_	D36.13	D48.2	D49.2
sclera	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
scrotum(skin)	C63.2	C79.82	D07.61	D29.4	D40.8	D49.5
sebaceous gland— <i>see</i> Neoplasm, skin						
sella turcica	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
bone	C41.0	C79.51	-	D16.4-	D48.0	D49.2
semilunar cartilage(knee)	C40.2-	C79.51	- D07.60	D16.2-	D48.0	D49.2
seminal vesicle	C63.7	C79.82	D07.69	D29.8	D40.8	D49.5
septum nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
posterior margin	C11.3	C79.89	D02.3	D14.0	D37.05	D49.1
rectovaginal	C76.3	C79.89	D00.00	D36.7	D48.7	D49.89
rectovesical	C76.3	C79.89	D09.8	D36.7	D48.7	D49.89
urethrovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
vesicovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5

Neoplasm Index	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
shoulder NEC	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
sigmoid flexure(lower)	C18.7	C78.5	D01.0	D12.5	D37.4	D49.0
(upper)	C21 0	C70.20	D02.2	D140	D20 F	D40.1
sinus(accessory)	C31.9 C41.0	C78.39 C79.51	D02.3	D14.0 D16.4-	D38.5 D48.0	D49.1 D49.2
bone(any) ethmoidal	C31.1	C78.39	D02.3	D14.0	D46.0	D49.2
frontal	C31.1	C78.39	D02.3	D14.0	D38.5	D49.1
maxillary	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
nasal, paranasal NEC	C31.9	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion	C31.8	-	-	-	-	-
sinus(accessory) —						
continued						
pyriform	C12	C79.89	D00.08	D10.7	D37.05	D49.0
sphenoid	C31.3	C78.39	D02.3	D14.0	D38.5	D49.1
skeleton, skeletal NEC	C41.9	C79.51	-	D16.9-	D48.0	D49.2
Skene's gland	C68.1	C79.19	D09.19	D30.8	D41.8	D49.5
skin NOS	C44.90	C79.2	D04.9	D23.9	D48.5	D49.2
abdominal wall	C44.509		D04.5	D23.5	D48.5	D49.2
basal cell carcinoma specified type NEC	C44.519 C44.599					
squamous cell	C44.529		_		_	_
carcinoma	C+4.329					
ala nasi (see also Neoplasm, nose, skin)	C44.301	C79.2	D04.39	D23.39	D48.5	D49.2
ankle (<i>see also</i> Neoplasm, skin, Iimb, lower)	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2
antecubital space (see also Neoplasm, skin, limb, upper)	C44.60-		D04.6-	D23.6-	D48.5	D49.2
anus	C44.500		D04.5	D23.5	D48.5	D49.2
basal cell carcinoma	C44.510 C44.590		-	-	-	-
specified type NEC squamous cell	C44.520		_	- -	-	_
carcinoma	C 1 1.520					
arm (see also Neoplasm,	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
skin, limb, upper)						
auditory canal(external) (see also Neoplasm, skin, ear)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
auricle(ear) (see also Neoplasm, skin, ear)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
auricular canal(external) (see also Neoplasm, skin, ear)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
axilla, axillary fold (<i>see</i> also Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
back (<i>see also</i> Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
basal cell carcinoma	C44.91					
breast	C44.501		D04.5	D23.5	D48.5	D49.2
basal cell carcinoma	C44.511		-	-	-	-
specified type NEC squamous cell carcinoma	C44.591 C44.521		-	-	-	-
brow (see also Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
buttock (see also Neoplasm, skin, trunk)	C44.509		D04.5	D23.5	D48.5	D49.2
calf (see also Neoplasm, skin, limb, lower)	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2

skin

Neoplasm Index	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
skin NOS — continued						
canthus(eye) (inner)	C44.10-	C79.2	D04.1-	D23.1-	D48.5	D49.2
(outer) basal cell carcinoma	C44.11-	-	-	-	-	-
specified type NEC	C44.19-	-	-	-	-	-
squamous cell carcinoma	C44.12-	-	-	-	-	-
cervical region (see also Neoplasm, skin, neck)	C44.40	C79.2	D04.4	D23.4	D48.5	D49.2
cheek(external) (<i>see</i> also Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
chest(wall) (<i>see also</i> Neoplasm, skin, trunk)	C44.509		D04.5	D23.5	D48.5	D49.2
chin (<i>see also</i> Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
clavicular area (<i>see also</i> Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
clitoris	C51.2	C79.82	D07.1	D28.0	D39.8	D49.5
columnella (see also Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
concha (see also Neoplasm, skin, ear)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
ear(external)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
basal cell carcinoma	C44.21-	-	-	-	-	-
specified type NEC	C44.29-	-	-	-	-	-
squamous cell carcinoma	C44.22-	-	-	-	-	-
elbow (<i>see also</i> Neoplasm, skin, limb, upper)	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
eyebrow (<i>see also</i> Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
eyelid basal cell carcinoma	C44.10- C44.11-	C79.2	D04.1-	D23.1-	D48.5	D49.2
specified type NEC	C44.119-	_	_	-	-	-
squamous cell carcinoma	C44.12-	-	-	-	-	-
face NOS	C44.300	C79.2	D04.30	D23.30	D48.5	D49.2
basal cell carcinoma	C44.310	-	-	-	-	-
specified type NEC	C44.390		-	-	-	-
squamous cell carcinoma	C44.320		-	-	-	-
female genital organs(external)	C51.9 C51.2	C79.82	D07.1	D28.0	D39.8	D49.5
clitoris labium NEC	C51.2	C79.82 C79.82	D07.1 D07.1	D28.0 D28.0	D39.8 D39.8	D49.5 D49.5
majus	C51.0	C79.82	D07.1	D28.0	D39.8	D49.5
minus	C51.1	C79.82	D07.1	D28.0	D39.8	D49.5
pudendum	C51.9	C79.82	D07.1	D28.0	D39.8	D49.5
vulva	C51.9	C79.82	D07.1	D28.0	D39.8	D49.5
finger (see also Neoplasm, skin, limb, upper)	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
flank (see also Neoplasm, skin, trunk)	C44.509		D04.5	D23.5	D48.5	D49.2
foot (see also Neoplasm, skin, limb, lower)	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2

Neoplasm Index	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
skin NOS — continued						
forearm (see also Neoplasm, skin, limb, upper)	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
forehead (see also Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
glabella (<i>see also</i> Neoplasm, skin,	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
face) gluteal region (<i>see also</i> Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
groin (see also Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
hand (see also Neoplasm, skin, limb, upper)	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
head NEC (see also Neoplasm, skin, scalp)	C44.40	C79.2	D04.4	D23.4	D48.5	D49.2
heel (<i>see also</i> Neoplasm, skin, limb, lower)	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2
helix (see also Neoplasm, skin, ear)	C44.20-	C79.2	D04.2-	D23.2-	D48.5	D49.2
hip (see also Neoplasm, skin, limb, lower)	C44.70-	C/9.2	D04.7-	D23.7-	D48.5	D49.2
infraclavicular region (see also Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
inguinal region (see also Neoplasm, skin, trunk)	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
jaw (see also Neoplasm, skin, face)	C44.309	C79.2	D04.39	D23.39	D48.5	D49.2
Kaposi's sarcoma—see Kaposi's, sarcoma, skin						
knee (<i>see also</i> Neoplasm, skin, Iimb, lower)	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2
labia						
majora	C51.0 C51.1	C79.82 C79.82	D07.1 D07.1	D28.0	D39.8	D49.5
minora leg (s <i>ee also</i> Neoplasm, skin, limb, lower)	C44.70-	C79.82	D07.1	D28.0 D23.7-	D39.8 D48.5	D49.5 D49.2
lid(lower) (upper)	C44.10-	C79.2	D04.1-	D23.1-	D48.5	D49.2
basal cell carcinoma	C44.11-	-	-	-	-	-
specified type NEC squamous cell carcinoma	C44.19-		-	-	-	-
limb NEC	C44.90	C79.2	D04.9	D23.9	D48.5	D49.2
basal cell carcinoma	C44.91	C70.2	D04.7	D22.7	D49 F	D40.2
lower basal cell carcinoma	C44.70-	C79.2	D04.7-	D23.7-	D48.5	D49.2
specified type NEC	C44.79-		-	_	-	-
squamous cell carcinoma	C44.72-	-	-	-	-	-
upper	C44.60-	C79.2	D04.6-	D23.6-	D48.5	D49.2
basal cell carcinoma specified type NEC	C44.61-	-	-	-	-	-
squamous cell carcinoma	C44.69-	-	-	-	-	-
lip(lower) (upper) basal cell carcinoma	C44.00 C44.01	C79.2 -	D04.0	D23.0	D48.5	D49.2

C44.119 - C44.60

14/07/15 7:32 pm

C44.119 Basal cell carcinoma of skin of left eyelid, including canthus	
 C44.12 Squamous cell carcinoma of skin of eyelid, including canthus 	
C44.121 Squamous cell carcinoma of skin of unspecified eyelid, including canthus	
C44.122 Squamous cell carcinoma of skin of right eyelid, including canthus	
C44.129 Squamous cell carcinoma of skin of left eyelid, including canthus	
6 C44.19 Other specified malignant neoplasm of skin of	
eyelid, including canthus	
C44.191 Other specified malignant neoplasm of ski of unspecified eyelid, including canthus C44.192 Other specified malignant neoplasm of ski	
of right eyelid, including canthus	
C44.199 Other specified malignant neoplasm of ski of left eyelid, including canthus	
5 C44.2 Other and unspecified malignant neoplasm of skin of ear and external auricular canal	f
EXCLUDES1 connective tissue of ear (C49.0)	
6 C44.20 Unspecified malignant neoplasm of skin of ear	
and external auricular canal	
C44.201 Unspecified malignant neoplasm of skin of unspecified ear and external auricular cana	
C44.202 Unspecified malignant neoplasm of skin of right ear and external auricular canal	
C44.209 Unspecified malignant neoplasm of skin of	F
6 C44.21 Basal cell carcinoma of skin of ear and external	
auricular canal C44.211 Basal cell carcinoma of skin of unspecified	
ear and external auricular canal	
C44.212 Basal cell carcinoma of skin of right ear and external auricular canal	t
C44.219 Basal cell carcinoma of skin of left ear and external auricular canal	
6 C44.22 Squamous cell carcinoma of skin of ear and external auricular canal	
C44.221 Squamous cell carcinoma of skin of unspecified ear and external auricular cana	al
C44.222 Squamous cell carcinoma of skin of right	
ear and external auricular canal C44.229 Squamous cell carcinoma of skin of left ear	r
and external auricular canal	
© C44.29 Other specified malignant neoplasm of skin of ear and external auricular canal	
C44.291 Other specified malignant neoplasm of ski	n
of unspecified ear and external auricular canal	
C44.292 Other specified malignant neoplasm of ski of right ear and external auricular canal	n
C44.299 Other specified malignant neoplasm of skir of left ear and external auricular canal	ì
G C44.3 Other and unspecified malignant neoplasm of skin o	f
other and unspecified parts of face	
G C44.30 Unspecified malignant neoplasm of skin of other and unspecified parts of face	er!
C44.300 Unspecified malignant neoplasm of skin of unspecified part of face	F
C44.301 Unspecified malignant neoplasm of skin of nose	F
C44.309 Unspecified malignant neoplasm of skin of other parts of face	F
6 C44.31 Basal cell carcinoma of skin of other and	
unspecified parts of face C44.310 Basal cell carcinoma of skin of unspecified	
parts of face	

C44.311 Basal cell carcinoma of skin of nose

C44.319 Basal cell carcinoma of skin of other parts of face		
C44.32 Squamous cell carcinoma of skin of other and unspecified parts of face		
C44.320 Squamous cell carcinoma of skin of unspecified parts of face		
C44.321 Squamous cell carcinoma of skin of nose		
C44.329 Squamous cell carcinoma of skin of other parts of face		
6 C44.39 Other specified malignant neoplasm of skin of other and unspecified parts of face		
C44.390 Other specified malignant neoplasm of skin of unspecified parts of face		
C44.391 Other specified malignant neoplasm of skin of nose		
C44.399 Other specified malignant neoplasm of skin of other parts of face		
© C44.4 Other and unspecified malignant neoplasm of skin of		
scalp and neck		
C44.40 Unspecified malignant neoplasm of skin of scalp and neck		
C44.41 Basal cell carcinoma of skin of scalp and neck		
C44.42 Squamous cell carcinoma of skin of scalp and neck		
C44.49 Other specified malignant neoplasm of skin of		
scalp and neck		
5 C44.5 Other and unspecified malignant neoplasm of skin of trunk		
EXCLUDES anus NOS (C21.0)		
scrotum (C63.2)		
© C44.50 Unspecified malignant neoplasm of skin of trunk		
C44.500 Unspecified malignant neoplasm of anal skin		
Unspecified malignant neoplasm of anal margin		
Unspecified malignant neoplasm of perianal skin		
C44.501 Unspecified malignant neoplasm of skin of breast		
C44.509 Unspecified malignant neoplasm of skin of other part of trunk		
6 C44.51 Basal cell carcinoma of skin of trunk		
C44.510 Basal cell carcinoma of anal skin		
Basal cell carcinoma of anal margin		
Basal cell carcinoma of perianal skin		
C44.511 Basal cell carcinoma of skin of breast		
C44.519 Basal cell carcinoma of skin of other part of trunk		
© C44.52 Squamous cell carcinoma of skin of trunk		
C44.520 Squamous cell carcinoma of anal skin		
Squamous cell carcinoma of anal margin		
Squamous cell carcinoma of perianal skin		
C44.521 Squamous cell carcinoma of skin of breast		
C44.529 Squamous cell carcinoma of skin of other part of trunk		
G C44.59 Other specified malignant neoplasm of skin of trunk		
C44.590 Other specified malignant neoplasm of anal		
skin		
Other specified malignant neoplasm of anal margin		
Other specified malignant neoplasm of perianal skin C44.591 Other specified malignant neoplasm of skin of breast		
C44.599 Other specified malignant neoplasm of skin of other part of trunk		
C44.6 Other and unspecified malignant neoplasm of skin of		
upper limb, including shoulder		
G C44.60 Unspecified malignant neoplasm of skin of		
upper limb, including shoulder		

4th character required 5 5th character required 6 6th character required 7 7th character required 2 Extension 'X' Alert

EXCLUDES 1 Not coded here EXCLUDES 2 Not included here Primary Diagnosis Only Manifestation Code

578 ICD-10-CM 2016

Extension 'X' Alert

Manifestation Code

4th character required

G83.11 - G90.3	labular Lis
G83.11 Monoplegia of lower limb affecting right dominant side	joint pain (M25.5-) limb pain (M79.6-)
G83.12 Monoplegia of lower limb affecting left	lumbar region pain (M54.5)
dominant side	painful urination (R30.9)
G83.13 Monoplegia of lower limb affecting right	pelvic and perineal pain (R10.2)
nondominant side	shoulder pain (M25.51-)
G83.14 Monoplegia of lower limb affecting left	spine pain (M54)
nondominant side	throat pain (R07.0) tonque pain (K14.6)
G83.2 Monoplegia of upper limb	tooth pain (K08.8)
Paralysis of upper limb	renal colic (N23)
EXCLUDES monoplegia of upper limbs due to sequela of	migraines (G43)
cerebrovascular disease (169.03-, 169.13-, 169.23-,	myalgia (M79.1)
169.33-, 169.83-, 169.93-) G83.20 Monoplegia of upper limb affecting unspecified	pain from prosthetic devices, implants, and graf
side	(T82.84, T83.84, T84.84, T85.84) phantom limb syndrome with pain (G54.6)
G83.21 Monoplegia of upper limb affecting right	vulvar vestibulitis (N94.810)
dominant side	vulvodynia (N94.81-)
G83.22 Monoplegia of upper limb affecting left	G89.0 Central pain syndrome
dominant side	Déjérine-Roussy syndrome
G83.23 Monoplegia of upper limb affecting right	Myelopathic pain syndrome
nondominant side	Thalamic pain syndrome (hyperesthetic)
G83.24 Monoplegia of upper limb affecting left	G89.1 Acute pain, not elsewhere classified
nondominant side	G89.11 Acute pain due to trauma
G83.3 Monoplegia, unspecified	G89.12 Acute post-thoracotomy pain
G83.30 Monoplegia, unspecified affecting unspecified side	Post-thoracotomy pain NOS
G83.31 Monoplegia, unspecified affecting right	G89.18 Other acute postprocedural pain
dominant side	Postoperative pain NOS
G83.32 Monoplegia, unspecified affecting left dominant	Postprocedural pain NOS
side .	G89.2 Chronic pain, not elsewhere classified
G83.33 Monoplegia, unspecified affecting right	EXCLUDES1 causalgia, lower limb (G57.7-)
nondominant side	causalgia, upper limb (G56.4-) central pain syndrome (G89.0)
G83.34 Monoplegia, unspecified affecting left	chronic pain syndrome (G89.4)
nondominant side	complex regional pain syndrome II, lower limb
G83.4 Cauda equina syndrome	(G57.7-)
Neurogenic bladder due to cauda equina syndrome EXCLUDESI cord bladder NOS (G95.89)	complex regional pain syndrome II, upper limb (G56.4-)
neurogenic bladder NOS (N31.9)	neoplasm related chronic pain (G89.3)
G83.5 Locked-in state	reflex sympathetic dystrophy (G90.5-)
G83.8 Other specified paralytic syndromes	G89.21 Chronic pain due to trauma
EXCLUDES1 paralytic syndromes due to current spinal cord	G89.22 Chronic post-thoracotomy pain
injury-code to spinal cord injury (S14, S24, S34)	G89.28 Other chronic postprocedural pain
G83.81 Brown-Séquard syndrome	Other chronic postoperative pain
G83.82 Anterior cord syndrome	G89.29 Other chronic pain
G83.83 Posterior cord syndrome	G89.3 Neoplasm related pain (acute) (chronic)
G83.84 Todd's paralysis (postepileptic)	Cancer associated pain
G83.89 Other specified paralytic syndromes	Pain due to malignancy (primary) (secondary)
G83.9 Paralytic syndrome, unspecified	Tumor associated pain
N. I. I. S. (200 200)	G89.4 Chronic pain syndrome
Other disorders of the nervous system (G89-G99)	Chronic pain associated with significant psychosocial
G89 Pain, not elsewhere classified	dysfunction
Code also related psychological factors associated	G90 Disorders of autonomic nervous system
with pain (F45.42)	EXCLUDES 1 dysfunction of the autonomic nervous system due to alcohol (G31.2)
EXCLUDES generalized pain NOS (R52)	G90.0 Idiopathic peripheral autonomic neuropathy
pain disorders exclusively related to	G90.01 Carotid sinus syncope
psychological factors (F45.41)	Carotid sinus syndrome
pain NOS (R52) EXCLUDES: atypical face pain (G50.1)	G90.09 Other idiopathic peripheral autonomic
headache syndromes (G44)	neuropathy
localized pain, unspecified type - code to pain by	Idiopathic peripheral autonomic neuropathy NO:
site, such as:	G90.1 Familial dysautonomia [Riley-Day]
abdomen pain (R10)	G90.2 Horner's syndrome
back pain (M54.9)	Bernard(-Horner) syndrome
breast pain (N64.4)	Cervical sympathetic dystrophy or paralysis
chest pain (R07.1-R07.9)	G90.3 Multi-system degeneration of the autonomic
ear pain (H92.0-)	nervous system
	nervous system Neurogenic orthostatic hypotension [Shy-Drager] Excludes orthostatic hypotension NOS (195.1)

682 ICD-10-CM 2016

5th character required

EXCLUDES 1 Not coded here **EXCLUDES 2** Not included here

6th character required

7th character required

Primary Diagnosis Only

727

Chapter 8: Diseases of the Ear and Mastoid Process (H60-H95)

H60 - H60.59 **Tabular List**

Diseases of the ear and mastoid process (H60-H95)

NOTES Use an external cause code following the code for the ear condition, if applicable, to identify the cause of the ear

EXCLUDES2 certain conditions originating in the perinatal period (P04-P96)

certain infectious and parasitic diseases (A00-

complications of pregnancy, childbirth and the puerperium (O00-O9A)

congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) endocrine, nutritional and metabolic diseases (E00-E88)

injury, poisoning and certain other consequences of external causes (S00-T88) neoplasms (C00-D49)

symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified

Diseases of external ear (H60-H62)




Figure 8.1 Anatomy of the Ear

4 H60 Otitis externa

ICD-10-CM 2016

H60.0 Abscess of external ear

Boil of external ear

Carbuncle of auricle or external auditory canal

Furuncle of external ear

H60.00 Abscess of external ear, unspecified ear

H60.01 Abscess of right external ear

H60.02 Abscess of left external ear

H60.03 Abscess of external ear, bilateral

H60.1 Cellulitis of external ear

Cellulitis of auricle

Cellulitis of external auditory canal

H60.10 Cellulitis of external ear, unspecified ear

H60.11 Cellulitis of right external ear

H60.12 Cellulitis of left external ear

H60.13 Cellulitis of external ear, bilateral

H60.2 Malignant otitis externa

H60.20 Malignant otitis externa, unspecified ear

H60.21 Malignant otitis externa, right ear

H60.22 Malignant otitis externa, left ear

H60.23 Malignant otitis externa, bilateral

9 H60.3 Other infective otitis externa

6 H60.31 Diffuse otitis externa

H60.311 Diffuse otitis externa, right ear

H60.312 Diffuse otitis externa, left ear

H60.313 Diffuse otitis externa, bilateral

H60.319 Diffuse otitis externa, unspecified ear

6 H60.32 Hemorrhagic otitis externa

H60.321 Hemorrhagic otitis externa, right ear

H60.322 Hemorrhagic otitis externa, left ear

H60.323 Hemorrhagic otitis externa, bilateral

H60.329 Hemorrhagic otitis externa, unspecified ear

6 H60.33 Swimmer's ear

H60.331 Swimmer's ear, right ear

H60.332 Swimmer's ear, left ear

H60.333 Swimmer's ear, bilateral

H60.339 Swimmer's ear, unspecified ear

6 H60.39 Other infective otitis externa

H60.391 Other infective otitis externa, right ear

H60.392 Other infective otitis externa, left ear

H60.393 Other infective otitis externa, bilateral

H60.399 Other infective otitis externa, unspecified ear

9 H60.4 Cholesteatoma of external ear

Keratosis obturans of external ear (canal)

EXCLUDES2 cholesteatoma of middle ear (H71.-) recurrent cholesteatoma of postmastoidectomy cavity (H95.0-)

H60.40 Cholesteatoma of external ear, unspecified ear

H60.41 Cholesteatoma of right external ear

H60.42 Cholesteatoma of left external ear

H60.43 Cholesteatoma of external ear, bilateral

9 H60.5 Acute noninfective otitis externa

6 H60.50 Unspecified acute noninfective otitis externa

Acute otitis externa NOS

H60.501 Unspecified acute noninfective otitis externa, right ear

H60.502 Unspecified acute noninfective otitis

externa, left ear H60.503 Unspecified acute noninfective otitis

externa, bilateral H60.509 Unspecified acute noninfective otitis externa, unspecified ear

6 H60.51 Acute actinic otitis externa

H60.511 Acute actinic otitis externa, right ear

H60.512 Acute actinic otitis externa, left ear

H60.513 Acute actinic otitis externa, bilateral

H60.519 Acute actinic otitis externa, unspecified ear

6 H60.52 Acute chemical otitis externa

H60.521 Acute chemical otitis externa, right ear

H60.522 Acute chemical otitis externa, left ear

H60.523 Acute chemical otitis externa, bilateral

H60.529 Acute chemical otitis externa, unspecified

6 H60.53 Acute contact otitis externa

H60.531 Acute contact otitis externa, right ear

H60.532 Acute contact otitis externa, left ear

H60.533 Acute contact otitis externa, bilateral

H60.539 Acute contact otitis externa, unspecified

ear

6 H60.54 Acute eczematoid otitis externa

H60.541 Acute eczematoid otitis externa, right ear

H60.542 Acute eczematoid otitis externa, left ear

H60.543 Acute eczematoid otitis externa, bilateral

H60,549 Acute eczematoid otitis externa. unspecified ear

6 H60.55 Acute reactive otitis externa

H60.551 Acute reactive otitis externa, right ear

H60.552 Acute reactive otitis externa, left ear

H60.553 Acute reactive otitis externa, bilateral

H60.559 Acute reactive otitis externa, unspecified ear

6 H60.59 Other noninfective acute otitis externa

Unspecified Code Other Specified Code Newborn Age: 0 M Maternity Age: 12-55 Pediatric Age: 0-17 ▶ ◀ Revised Text Adult Age: 18-124 O Male Pemale New Code ▲ Revised Code Title

ICD-10-CMS H60-H95.indd 727 14/07/15 11:30 pm

Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue (M00-M99)

M79.7 - M80.052 Tabular List

M79.7 Fibromyalgia
Fibromyositis
Fibrositis

Myofibrositis

9 M79.A Nontraumatic compartment syndrome

Code first, if applicable, associated postprocedural complication

compartment syndrome NOS (T79.A-) fibromyalgia (M79.7) nontraumatic ischemic infarction of muscle

traumatic compartment syndrome (T79.A-)

M79.A1 Nontraumatic compartment syndrome of upper extremity

Nontraumatic compartment syndrome of shoulder, arm, forearm, wrist, hand, and fingers

M79.A11 Nontraumatic compartment syndrome of right upper extremity

M79.A12 Nontraumatic compartment syndrome of left upper extremity

M79.A19 Nontraumatic compartment syndrome of unspecified upper extremity

 M79.A2 Nontraumatic compartment syndrome of lower extremity

Nontraumatic compartment syndrome of hip, buttock, thigh, leg, foot, and toes

M79.A21 Nontraumatic compartment syndrome of right lower extremity

M79.A22 Nontraumatic compartment syndrome of left lower extremity

M79.A29 Nontraumatic compartment syndrome of unspecified lower extremity

M79.A3 Nontraumatic compartment syndrome of abdomen

M79.A9 Nontraumatic compartment syndrome of other sites

M79.8 Other specified soft tissue disorders M79.81 Nontraumatic hematoma of soft tissue

Nontraumatic nematoma of soft tissu Nontraumatic hematoma of muscle

Nontraumatic seroma of muscle and soft tissue

M79.89 Other specified soft tissue disorders
Polyalgia

M79.9 Soft tissue disorder, unspecified

Osteopathies and chondropathies (M80-M94)

Disorders of bone density and structure (M80-M85)

Osteoporosis




Figure 13.7 Reduced Bone matrix in Osteoporosis

M80 Osteoporosis with current pathological fracture

NOCLUDES osteoporosis with current fragility fracture **Use additional code to identify major osseous defect, if applicable (M89.7-)**

collapsed vertebra NOS (M48.5) pathological fracture NOS (M84.4) wedging of vertebra NOS (M48.5)

personal history of (healed) osteoporosis fracture (787.310)

The appropriate 7th character is to be added to each code from category M80:

A = initial encounter for fracture

D = subsequent encounter for fracture with routine healing

G = subsequent encounter for fracture with delayed healing

K = subsequent encounter for fracture with nonunion

P = subsequent encounter for fracture with malunion

S = sequela

M80.0 Age-related osteoporosis with current pathological fracture

Involutional osteoporosis with current pathological fracture

Osteoporosis NOS with current pathological fracture Postmenopausal osteoporosis with current pathological fracture

Senile osteoporosis with current pathological fracture

- M80.00 Age-related osteoporosis with current pathological fracture, unspecified site
- M80.01 Age-related osteoporosis with current pathological fracture, shoulder
 - M80.011 Age-related osteoporosis with current pathological fracture, right shoulder
 - M80.012 Age-related osteoporosis with current pathological fracture, left shoulder
 - M80.019 Age-related osteoporosis with current pathological fracture, unspecified shoulder
- M80.02 Age-related osteoporosis with current pathological fracture, humerus
 - M80.021 Age-related osteoporosis with current pathological fracture, right humerus
 - M80.022 Age-related osteoporosis with current pathological fracture, left humerus
 - M80.029 Age-related osteoporosis with current pathological fracture, unspecified humerus
- M80.03 Age-related osteoporosis with current pathological fracture, forearm

Age-related osteoporosis with current pathological fracture of wrist

- M80.031 Age-related osteoporosis with current pathological fracture, right forearm
- M80.032 Age-related osteoporosis with current pathological fracture, left forearm
- M80.039 Age-related osteoporosis with current pathological fracture, unspecified forearm
- M80.04 Age-related osteoporosis with current pathological fracture, hand
 - M80.041 Age-related osteoporosis with current pathological fracture, right hand
 - M80.042 Age-related osteoporosis with current pathological fracture, left hand
 - M80.049 Age-related osteoporosis with current pathological fracture, unspecified hand
- M80.05 Age-related osteoporosis with current pathological fracture, femur

Age-related osteoporosis with current pathological fracture of hip

- M80.051 Age-related osteoporosis with current pathological fracture, right femur
- M80.052 Age-related osteoporosis with current pathological fracture, left femur

4th character required 59 5th character required 69 6th character required 7th character required 50 Extension 'X' Alert

| EXCLUDES | Not coded here | EXCLUDES | Not included here | M Primary Diagnosis Only | Manifestation Code

932 ICD-10-CM 2016