Manag	ing Pred	linical F	Risk to	<b>Protect</b>	Data	Integrity	Į,
	Animal	Welfare	e, and	Human	Subje	ct Safety	,

Alison Powell LATG Research Compliance Manage

Preclinical Research Compliance Manager



Office of Research Compliance
June, 5<sup>th</sup> 2012
HCCA Research Compliance



Alison Powell LATG is involved in auditing and reviewing preclinical and laboratory based research throughout Northwell Health for quality assurance and improvement, and providing education to the investigative community. Alison graduated from Manhattan College, and has worked at Weill Cornell Medical College/Memorial Sloan-Kettering Cancer Center's Research Animal Resource Center program, as an animal husbandry technician.





Stephen Frattini DVM is involved in auditing and reviewing preclinical and laboratory based research throughout Northwell Health for quality assurance and improvement, and providing education to the investigative community. He obtained his veterinary degree from Cornell University's College of Veterinary Medicine in 2010, where he focused on disease management of aquatic animals, specifically, fish and invertebrates.


### Today's Objectives


- Understand the development of biomedical technology from the bench to the bedside
- Understand how compliance oversight, and risk management can help lead to quality, reproducible data, increased animal welfare, and safe foundational knowledge for early phase clinical trials
- Review and discuss relevant cases that exemplify researcher and subject risk, and how they affect bench research, animal studies, and early phase clinical trials

North











## Risk management requires engagement at all levels of biomedical research Establishing standards and maintaining high quality is attractive to outsiders and researchers Changing culture is an example of indirect risk management Maintaining continued excellence requires ongoing education and outreach







What is pre clinical research?     Research that does not use human subjects.	Researcher Subject
Northwell Health	12

The Office of Research Integrity (ORI) and the NIH have reported problems surrounding deproducibility. <sup>1,6</sup>	lata XS
Reproducibility is a big concern within the biomedical research community. There are a number of factors that lead to this: $ \frac{1}{2} \left( \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} \right) \left( \frac{1}{2} $	Researcher Subject
Conceptual weakness and cognitive bias	
Research background and cultural differences	
Internal and external Pressures	
Biological variability	
Experimental design and performance, low quality	
Technical issues	
Presentation	

### Risk: Reproducibility Compliance/Risk Management Strategy: • PI Education; Indirect Strategies • GIP-like documentation not always kept • Ongoing monitoring and intervention of environment (physical and cultural) and equipment • Give Guidance on methods for PIs to better manage experimental design and data


Northwell Health

# Case Study #1 In 2011, scientists at Bayer HealthCare in Germany analyzed 67 in-house projects, specifically looking at reproducibility of target discovery (target identification and validation). <sup>2</sup> They focused on main relevant published data, citations, in-house obtained data versus the published data, the impact of the results from the outcome of projects, and models used in experiments and publication. They found that only ~20-25% of the 67 projects had in-house data completely in line with the subsequent publications. Their findings support the many examples noted by ORI. Publishing data that cannot be reliable can cause a ripple effect.

Case Study #1	NSIS NSIS
Problem	Ripple Effect Researcher Subject
<ul> <li>Lack of reproducibility of published drug target data</li> </ul>	<ul> <li>Cost of drug development skyrockets due to validation needs</li> </ul>
	<ul> <li>Further support that data being published in journals, including high impact journals, may not be reliable</li> </ul>
	Tellable

# Cells to Animal Models





Cells to Animal Models	RISK
Bridge from the bench to animals Most ideas and concepts are tested in simplified systems Cell Culture, Organoids, Embryonic Tissues, etc. Sooner or later the tested hypothesis becomes too complex for red	Researcher Subject
Moving science forward  Animal models contain complex systems and interactions that cann Some experiments require complex readouts that include behavior, function  For example: higher cognitive functioning or complex neural n	immune
Northwell Health	20


# \*Integrity must be maintained across all phases • Preclinical research spans a long timeframe \*One of the first opportunities to shirk evidence • Active experimentation is ongoing • Evidence might not support hypothesis/theory • Federal Regulations • Pushing for more institutional oversight • Better to self monitor than be caught \*Compliance/Risk Management Strategy: • RCR Training and Ongoing Education • Indirect Risk Management

Case Study #2  Haruko Obokata of Japan's RIKEN Center for Developmental Biology was found guilty in 2014 of research misconduct. <sup>9</sup>	Researcher Subject
Nature published two papers authored by Obokata and her team. The pap on Stimulus-triggered acquisition of pluripotency (STAP). 11-12	ers focused
STAP was a novel technique wherein blood cells from neonate mice were stress, causing them to "reprogram" into pluripotent stem cells that could adapt to any environment .	•

# Problems • Misrepresented images comparing mouse embryos • Doctored an electrophoresis gel image • Plagiarized and misrepresented methods section • Waste of animal lives by the study team and by others who tried to replicate the data • Tarnished reputations of those working on the study team unaware of fraud • Wasted time after RIKEN asked researchers to review all publications (~200,000), utilizing time and resources







### **Animal Welfare**

The Animal Welfare Act (AWA)<sup>16</sup>, established in 1966, is the Federal law in the United States that protects laboratory animals. Birds, laboratory mice, laboratory rats, farm animals and cold-blooded animals are not covered by the AWA.



The Guide for the Care and Use of Laboratory Animals  $^{17}$  a.k.a. "The Guide," produced by The Office of Laboratory Welfare (OLAW) , is the gold-standard guidance document that all accredited programs must adhere to.

Over the years, studies have been conducted with the purpose of fine-tuning the balance between animal welfare and good science.

Often overlooked, poor animal care can skew data results.

Northwell Health

27

	_
Animal Welfare	
Compliance/Risk Management Strategy:     Close relationship with regulatory committees (IACUC)	
Consult and give guidance/feedback on the regulatory oversight of the committee      Researcher Subject	
<ul> <li>Close relationship with the operational groups (vivarium/vet services)</li> <li>Consult and give guidance on SOP development and gaps in documentation</li> </ul>	
Ongoing Audit Strategy (routine and for cause)     Risk Based	
Ongoing Education and Training	
Extension of audit finding     Ethics, Welfare, Techniques	
3727	
Northwell Health: 28 References: 7-8-15	
	1
Risk: Animal Stress and Pain Management	
Stress, which can lead to distress, in animals is a very common problem	
in laboratory animal facilities. Stress comes in many different forms, and the consequences of it range from neutral to catastrophic.  Researcher Subject	
the consequences of it range from reduction to catastrophic.	
In animal facilities that house large numbers of rodents, management of the conditions within the animal holding rooms as well as the facility at large is critical. Ignoring these	
conditions can lead to unforeseen consequences.	
One source of stress and distress in laboratory models is pain. Scientists who wish to use	
animal models must take pain management into consideration while developing and performing their studies. Consideration of pain management strategies and reporting is	
a fundamental concern in laboratory animal care.	
Northwell Health 29	
References 7-8	
	7
Bick: Animal Stress and Dain Managament	
Risk: Animal Stress and Pain Management For mice, some stressful conditions include:	
Over-handling of mice, including any movement of the cage	
(changing cages, cleaning cages, monitoring, etc.)  • Excessive noise and/or vibrations (music, construction, etc.)	
<ul> <li>Excessive noise and/or vibrations (music, construction, etc.)</li> <li>Strong odors (pheromones from other cages, perfume on animal husbandry</li> </ul>	
technicians)	
<ul> <li>Separating sires from pregnant dams</li> <li>Resulting in such negative results as:</li> </ul>	
Delay of research	
<ul> <li>Inability to obtain the amount of specific animals needed for a study</li> <li>Loss of financial investment</li> </ul>	
Potential waste of animal lives	
1111 1111 1111	

### Case Study #4

Larry Carbone and Jamie Austin of the Laboratory Animal Resource Center at The University of California, San Fransisco, published "Pain and Laboratory Animals: Publication Practices for Better Data Reproducibility and Better Animal Welfare." The study addresses a current problem faced by those who perform animal research studies which

Researcher Subject


Scientists need to make a choice on pain management in their research animals. Often times, they are faced with a difficult choice which balances animal welfare and experimental data.

- Certain, or any, analgesics or anesthetics may create skewed data
- Withholding analgesics and/or anesthetics may leave the animals in pain, which also may skew data and could become an animal welfare concern
- Scientists are hard-pressed to find accurate, informative data revolving around pain management in published works

### Case Study #4

### Problem

- Withholding pain management to avoid data artifacts
- Providing analgesics to the animals in a study without a methodical basis
- Publishing studies with minimal or no information describing why certain pain management was or was not used




- Potential animal welfare concerns and undue pain
- Under dosing or overdosing animals leading to skewed data
- · Continuing the cycle of scientists not being able to make a confident decision in their choice of pain management for a particular study

### Animal Models to Clinical Research







### **Animal Models to Clinical Research**

When making the transition from animal research to clinical research, there are a number of factors that should be thoroughly completed and vetted:



- Repetition of experiments and confirmation of data reproducibility
- Representing pre-clinical data and methods
- Solid experimental design and statistics
- Demonstration of quality citations
- Acknowledging and addressing biological variability

Unfortunately, there have been studies that did not demonstrate strong pre-clinical research methods but were able to move forward to Phase I clinical trials.

Northwell Health

Pielo Pelieble Date and Human Subject Sefetul	
Risk: Reliable Data and Human Subject Safety	
Human Subject Rights, Safety and Welfare     Focused on Safety at this point     Subject safety/welfare hinges on the applicability, reliability, and quality     Researcher Subject	
Subject safety/welfare hinges on the applicability, reliability, and quality data     Potential clinical bias from researchers, new to the lifecycle	
<ul> <li>Concerns for subject rights, safety, welfare drive increased risk to researcher through increased risk to the subject</li> </ul>	
Rational research design     Bridge to Clinical use	
Single to clinical use     Compliance/Risk Management Strategy:	
<ul> <li>Pre-Clinical to Clinical is the confluence of all previous (data, integrity, quality animal work)</li> <li>Combination of pre and clinical compliance, and regulatory oversight (IRB)</li> </ul>	_
Regulatory Affairs (FDA, etc.)	
Northwell Health*	
Case Study #5	
In 2006, a phase I trial testing a novel CD28 superagonist antibody, TGN1412 began in London. Eight healthy male subjects were placed in a	
double-blind, randomized, placebo controlled phase I trial.  Researcher Subject	
Within 12 hours of infusion, one subject experienced multi-organ failure. Between 18-21	
hours post-infusion, five additional subjects also experienced multi-organ failure. The two subjects who were unharmed received placebo.	
Reliance on Non Human Primate (NHP) data.	
The cause of the adverse reactions was hypercytokinemia (cytokine storm), which is an	
uncontrollable immune response.	
Northwell Health	
Reference: 13-14	
Case Study #5	
Problems Ripple Effect Researcher Subject	
Insufficient <i>in-vitro</i> tests on human     Improper dose calculations for	
material human subjects  Relying solely on NHP data for Failure to anticipate and prepare	
human dose calculations for adverse events in humans	
<ul> <li>Ignoring subtle changes in cytokine</li> <li>Loss of human subjects' protection</li> <li>Waste of animal lives</li> </ul>	
All human subjects received their infusions at the same time	
8eferences: 13-14	

### Conclusions

- 1. Drug and device development is a lengthy process, and each step has unique considerations.
- 2. Good science is key:
  - · Consider the risk and mitigation strategies for data, cells, animal models and human subjects
- 3. Ensure a good compliance and risk management program is in place and constantly adjusted.
  - Reviews, Education, and Policy making

### References

- "Research Cases for Use by the NIH Community | NIH Office of Intramural Research." *U.S National Library of Medicine*. U.S. National Library of Medicine. 1.5. National Library of Medicine. 1.
- Prinz, Florian, Thomas Schlange, and Khusru Asadullah. "Believe it or not: how much can we rely on
  published data on potential drug targets?" *Nature reviews Drug discovery* 10.9 (2011): 712-712.
   Normile, Dennis, and Gretchen Vogel. "Irreproducibility Dogs New Reprogramming Method." Science
  Magazine, 12 Jan. 2016. Web.
- Normile, Dennis. "Evidence Mounts Against Reprogrammed Stem Cell Papers." Science Magazine, 12 Jan. 2016. Web.
- Normile, Dennis. "RIKEN to Check 20,000 Papers for Doctored Images and Plagiarism." Science Magazine, 12 Jan. 2016. Web.
- "Rigor and Reproducibility | Grants.nih.gov." *U.S National Library of Medicine*. U.S. National Library of Medicine, 18 Aug. 2016. Web.
  Poley, Wayne. "Emotionality related to maternal cannibalism in BALB and CS7BL mice." *Animal Learning & Behavior* 2.4 (1974): 241-244.
- Kagele, Dominique. "5 Reasons Why Your Mice Aren't Breeding." The Jackson Laboratory, 29 Dec. 2014. Web.

10 Northwell Health

### References

- Cyranoski, David. "Stem-cell Scientist Found Guilty of Misconduct." *Nature.com*. Nature Publishing Group, 01 Apr. 2014. Web.
- O. Cyranoski, David. "Stem-Cell Method Faces Fresh Questions." *Nature.com*. Nature Publishing Group, 18 Mar. 2014. Web.
- Obokata, Haruko, et al. "Bidirectional developmental potential in reprogrammed cells with acquired pluripotency." Nature 505.7485 (2014): 676-680.
- Obokata, Haruko, et al. "Stimulus-triggered fate conversion of somatic cells into pluripotency." Nature 505.7485 (2014): 641-647.
- Suntharalingam, Ganesh, et al. "Cytokine storm in a phase 1 trial of the anti-CD28 monoclonal antibody TGN1412." New England Journal of Medicine 355.10 (2006): 1018-1028.
   Attarwala, H. "TGN1412: from discovery to disaster." Journal of Young Pharmacists 2.3 (2010): 332-336.
- Carbone, Larry, and Jamie Austin. "Pain and Laboratory Animals: Publication Practices for Better Data Reproducibility and Better Animal Welfare." PloS one 11.5 (2016): e0155001.
- 16. The Animal Welfare Act (Laboratory Animal Welfare Act of 1966, P.L. 89-544
- National Research Council 2011. Guide for the care and use of laboratory animals. National Academy Press Washington, D.C.

North

Q&A	Q&A		
Northwell Health		43	